



**WEAVER CONSTRUCTION MANAGEMENT COMPANY**  
 3679 S. Huron St., Suite 404  
 Englewood, CO 80110  
 Phone: (303) 789-4111 FAX: (303) 789-4310

**SUBMITTAL TRANSMITTAL**

September 13, 2011  
WGC Submittal No: 03200-010.A

**PROJECT:** **Harold Thompson Regional WRF**  
 Birdsall Rd.  
 Fountain, CO 80817  
 Job No. 2908

**ENGINEER:** **GMS, Inc.**  
 611 No. Weber St., #300  
 Colorado Springs, CO 80903  
 719-475-2935 Roger Sams

**OWNER:** **Lower Fountain Metropolitan  
 Sewage Disposal District**  
 901 S. Santa Fe Ave.  
 Fountain, CO 80817  
 719-382-5303 James Heckman

**CONTRACTOR:** **Dalco Industries Inc.**  
 3730 Salem Street  
 Denver, CO 80239  
 303-371-3950 David Tarin

**SUBJECT:** Resubmittal for Rebar for drilled piers at clarifier manholes - Per ESI No. 8'  
 (Pier Sheet 1&2)

**SPEC SECTION:** 03200 - Concrete Reinforcement

**PREVIOUS SUBMISSION DATES:** 8/24/11

**DEVIATIONS FROM SPEC:** \_\_\_ YES X NO

**CONTRACTOR'S STAMP:** This submittal has been reviewed by WCM and approved with respect to the means, methods, techniques, & safety precautions & programs incidental thereto. Weaver General Construction also warrants that this submittal complies with contracted documents and comprises on deviations thereto:

**Contractor's Stamp:**

Date: 8/24/11  
 Reviewed by: H.C. Myers  
 ( X ) Reviewed Without Comments  
 ( ) Reviewed With Comments

**ENGINEER'S  
 COMMENTS:** \_\_\_\_\_

**Engineer's Stamp:**


#10082






HDTWWTP

10F1

MAINT. SLAB (UNIT PRICE)

100 # 6 FORMSAVERS





PARTIAL PIER & MANHOLES

NTS

HDTWWTP ESI-008

WEAVER CONST. #10082

PIER & MANHOLES

DALCO INDUSTRIES D. TARIN

8/23/11



SHT. 1 OF 2

▲ 9/13 APPROV. FOR CONST.

3-5 LAP SPACE  
IF REQ'D.

PIER SCHED.

PK	QTY.	VERT. ↓	TIES	DOWELS (PRO.)
A	6	6#6x21-4	29(324) @ 12"	4(726)
B	3	6#6x38-7	41(324) @	4(726)
C	3	6#6x38-1	40(324) @	4(726)





324

726

ADDED 2-0  
TO LENGTH  
PER G.C.

FIELD VERIFY



DWLS. ARE  
REQ'D.

TOP PIER